Subject Index

Albite 82, 145, 192, 238,397
albitophyre 194
alkalic suite, basalts 179f.
alkaline series granites 215
Al-pyroxenes 1f.
alteration, low-grade, oceanic crust 323ff., 342ff.
– rims 346f.
– scheme 361
amphibole 6
amphibolite – granulite transition zone 277f.
analcime 365
andesine 181
andesites 146, 376f.
andalusite 40, 423
– zone 41f.
ankaramite 181
anorthite 249
anorthosite 161
apatite 71, 181, 312
aplite 27, 82
augen mylonite 223
augite 71, 174, 181

Ba, Unalaska pluton 75
basalt 173, 256f.
–, Deccan 179f.
– „diagenesis" 323f.
basaltic rocks 89f.
biotite 16, 162, 393
–, deformation microstructure 224
– stability 421ff.
– zone, Buchan 40f.
boninites 254
bronzitites 312

Calc-alkaline series granites 214
calcalkaline suite, fractionation 69ff.
calcite 145, 151, 267, 365
–, altered oceanic crust, Mg-contents 354f.
–, green tuff, isotopic composition 146
–, meteoric hydrothermal origin 145f.
carbonates, meta –, phase relations 55ff.
carbonatite genesis 105ff.
–, major element composition 115f.
celadonite 43
–, basalt alteration 323ff.
–, compositions 332
charnockites 161ff.
–, magmatic 217
chemical analysis
–, alkalic suite, Deccan 184f.
–, andesites, North Africa 376
–, basalts 377
–, clay minerals, altered oceanic crust 344
–, clinopyroxenes, alkalic suite 182
–, dolerites, Antarctica 96
–, gneisses, Scourie 404
–, granites, Aiguilles Rouges Massif 226
–, –, biotites 233
–, –, feldspars 231, 238
–, igneous rocks, Iberian Pyrite Belt 196
–, komatiites, Gorgana 262
–, –, glass 261
–, –, olivines 259
–, –, plagioclases 261
–, –, pyroxenes 259
–, –, spinel 260
–, litchfieldite pegmatite 134
–, metabasites, Norway 279
–, metagabbro 134
–, micas, metapelites, Buchan 45
–, peridotite, minerals 6
–, phillipsite, altered oceanic crust 355
–, picrite xenoliths 174
–, –, ilmenite 174
–, –, matrix 174
–, –, olivine 174
–, –, plagioclase 174
–, plagioclase phenocrysts, Deccan 183
–, plutonic rocks, Captains Bay 72
–, pyroxenes, Bushveld 316
–, roedderite, Eifel 129
chemical mass balance, granite deformation 227f.
chlorite 6, 41, 145, 353, 391
chloritoid 327
chlorophaeite 181
C isotopic composition, green tuff calcites 148f.
clinopyroxenes 3, 123, 181 244, 258, 299, 377
clinopyroxenite 3
clinozoisite 274
clouding, spinels in plagioclases 244f.
contamination, basalts 98f.
cordierite 40
– isograd 41f.
– orthopyroxene paragenesis, experimental investigation 15ff.
coronas, metagabbros 243f
corundum 6
crystal fractionation models, Unalaska pluton 78
cummingtonite 413f.
cumulates, crustal igneous inclusions 9
cumulus peridotite 1, 9

Dacites 381
deformation mechanism, granites 222f.
diagenesis 145
–, oceanic crust basalt 324f.
differentiation, alkalic suite, Deccan 183f.
–, Antarctic basalts 94f.
–, basalts, mechanism 176
–, charnockites 161ff.
–, metabasites 278f.
diopside 151
diorite 71, 315
dolerite 90f., 181
dolomite 53
–, siliceous, metamorphism 151f.
dunite 2, 256, 312
dykes, basaltic 180

Epidote 6, 145
– amphibolite facies, Nikubuchi peridotite 8f.
equilibrium data, metamorphism of siliceous dolomites 151f.
equilibrium melt compositions, lherzolite melting 303
–, pyrolite melting 300
Eu anomaly, charnockites 163, 165
–, Unalaska pluton 75

Feldspars 162, 224
–, deformation microstructures 224
fenitization 141
flood basalts, Deccan 179f.
–, partial melting 306
fluid participation, granite deformation 239
forsterite 151
fractional crystallization, Antarctic basalts 97f.
–, cumulus peridotite 10
–, Unalaska pluton 79f.

Gabbro 4, 71, 132, 193, 254f.
garnet 4, 243f., 269, 288, 394
–, inclusion in Ti-minerals 271
geochronology, Calabrian granulites 25ff.
–, analytical procedures 28
–, geological conclusions 33
–, monazite and zircon data 29f.
geothermometer, calcite/dolomite 151f.
–, olivine/spinel 201f., 205f.
glass, komatiites 261
glauconite 344, 351
gneiss 24, 133, 404f.
granite 24, 161
– deformation 222ff.
– –, chemical mass balance 227f.
– –, reactions 236f.
– –, thermal conditions 239f.
–, petrogenetic classification 207ff.
granodiorites 212
granulite 26, 277
– facies 403f.
– –, Calabria 23ff.
– –, Nikubuchi peridotite 6f.
– –, –, phase relations 7
gravitational settling, picrite genesis 176
greenschist facies, Calabria 24f.
green tuff formation 145f.
greywackes 41
grossular 274

Harzburgite 1
hornblende 71
hybrid granites 214
hydrothermal metamorphism 192f.
hypersthene 71
– tholeiite 97

Iddingsite 181
ilmenite 174, 181, 270, 312
immiscibility, carbonate-silicate liquids 105ff.
–, experimental run data 107
intergrowths, feldspars with nepheline 119f.
island arcs 69
isograds, Hohe Tauern 54
isotherms, Hohe Tauern 54

Kalsilite-K-feldspar intergrowths 121f.
K-feldspar 16, 71, 121, 145

Subject Index

Albite 82, 145, 192, 238,397
albitophyre 194
alkalic suite, basalts 179f.
alkaline series granites 215
Al-pyroxenes 1f.
alteration, low-grade, oceanic crust 323ff., 342ff.
– rims 346f.
– scheme 361
amphibole 6
amphibolite – granulite transition zone 277f.
analcime 365
andesine 181
andesites 146, 376f.
andalusite 40, 423
– zone 41f.
ankaramite 181
anorthite 249
anorthosite 161
apatite 71, 181, 312
aplite 27, 82
augen mylonite 223
augite 71, 174, 181

Ba, Unalaska pluton 75
basalt 173, 256f.
–, Deccan 179f.
– „diagenesis" 323f.
basaltic rocks 89f.
biotite 16, 162, 393
–, deformation microstructure 224
– stability 421ff.
– zone, Buchan 40f.
boninites 254
bronzitites 312

Calc-alkaline series granites 214
calcalkaline suite, fractionation 69ff.
calcite 145, 151, 267, 365
–, altered oceanic crust, Mg-contents 354f.
–, green tuff, isotopic composition 146
–, meteoric hydrothermal origin 145f.
carbonates, meta –, phase relations 55ff.
carbonatite genesis 105ff.
–, major element composition 115f.
celadonite 43
–, basalt alteration 323ff.
–, compositions 332
charnockites 161ff.
–, magmatic 217
chemical analysis
–, alkalic suite, Deccan 184f.
–, andesites, North Africa 376
–, basalts 377
–, clay minerals, altered oceanic crust 344
–, clinopyroxenes, alkalic suite 182
–, dolerites, Antarctica 96
–, gneisses, Scourie 404
–, granites, Aiguilles Rouges Massif 226
–, –, biotites 233
–, –, feldspars 231, 238
–, igneous rocks, Iberian Pyrite Belt 196
–, komatiites, Gorgana 262
–, –, glass 261
–, –, olivines 259
–, –, plagioclases 261
–, –, pyroxenes 259
–, –, spinel 260
–, litchfieldite pegmatite 134
–, metabasites, Norway 279
–, metagabbro 134
–, micas, metapelites, Buchan 45
–, peridotite, minerals 6
–, phillipsite, altered oceanic crust 355
–, picrite xenoliths 174
–, –, ilmenite 174
–, –, matrix 174
–, –, olivine 174
–, –, plagioclase 174
–, plagioclase phenocrysts, Deccan 183
–, plutonic rocks, Captains Bay 72
–, pyroxenes, Bushveld 316
–, roedderite, Eifel 129
chemical mass balance, granite deformation 227f.
chlorite 6, 41, 145, 353, 391
chloritoid 327
chlorophaeite 181
C isotopic composition, green tuff calcites 148f.
clinopyroxenes 3, 123, 181 244, 258, 299, 377
clinopyroxenite 3
clinozoisite 274
clouding, spinels in plagioclases 244f.
contamination, basalts 98f.
cordierite 40
– isograd 41f.
– orthopyroxene paragenesis, experimental investigation 15ff.
coronas, metagabbros 243f
corundum 6
crystal fractionation models, Unalaska pluton 78
cummingtonite 413f.
cumulates, crustal igneous inclusions 9
cumulus peridotite 1, 9

Dacites 381
deformation mechanism, granites 222f.
diagenesis 145
–, oceanic crust basalt 324f.
differentiation, alkalic suite, Deccan 183f.
–, Antarctic basalts 94f.
–, basalts, mechanism 176
–, charnockites 161ff.
–, metabasites 278f.
diopside 151
diorite 71, 315
dolerite 90f., 181
dolomite 53
–, siliceous, metamorphism 151f.
dunite 2, 256, 312
dykes, basaltic 180

Epidote 6, 145
– amphibolite facies, Nikubuchi peridotite 8f.
equilibrium data, metamorphism of siliceous dolomites 151f.
equilibrium melt compositions, lherzolite melting 303
–, pyrolite melting 300
Eu anomaly, charnockites 163, 165
–, Unalaska pluton 75

Feldspars 162, 224
–, deformation microstructures 224
fenitization 141
flood basalts, Deccan 179f.
–, partial melting 306
fluid participation, granite deformation 239
forsterite 151
fractional crystallization, Antarctic basalts 97f.
–, cumulus peridotite 10
–, Unalaska pluton 79f.

Gabbro 4, 71, 132, 193, 254f.
garnet 4, 243f., 269, 288, 394
–, inclusion in Ti-minerals 271
geochronology, Calabrian granulites 25ff.
–, analytical procedures 28
–, geological conclusions 33
–, monazite and zircon data 29f.
geothermometer, calcite/dolomite 151f.
–, olivine/spinel 201f., 205f.
glass, komatiites 261
glauconite 344, 351
gneiss 24, 133, 404f.
granite 24, 161
– deformation 222ff.
– –, chemical mass balance 227f.
– –, reactions 236f.
– –, thermal conditions 239f.
–, petrogenetic classification 207ff.
granodiorites 212
granulite 26, 277
– facies 403f.
– –, Calabria 23ff.
– –, Nikubuchi peridotite 6f.
– –, –, phase relations 7
gravitational settling, picrite genesis 176
greenschist facies, Calabria 24f.
green tuff formation 145f.
greywackes 41
grossular 274

Harzburgite 1
hornblende 71
hybrid granites 214
hydrothermal metamorphism 192f.
hypersthene 71
– tholeiite 97

Iddingsite 181
ilmenite 174, 181, 270, 312
immiscibility, carbonate-silicate liquids 105ff.
–, experimental run data 107
intergrowths, feldspars with nepheline 119f.
island arcs 69
isograds, Hohe Tauern 54
isotherms, Hohe Tauern 54

Kalsilite-K-feldspar intergrowths 121f.
K-feldspar 16, 71, 121, 145

komatiite 253f., 307
kyanite 6, 397
– zone, Buchan 40f.

Lapilli tuff 146
laumontite 365
–, stability 368f.
lava 173, 179
leaching, basalt-seawater interaction 197
leucite 119
– bearing rocks 429, 432
– stability 123
leucogranites 212
lherzolite 3
–, melting 293
–, –, equilibrium melt composition 303
limestone 53
litchfieldite 132

Maghemitization 357
magmatic differentiation 74
magnetite 6, 123, 181, 312, 424
mantle evolution 100f.
– heterogeneity 89ff.
marbles 24, 151f.
marl 53
mass balance, metasomatism 131ff.
melting studies, peridotite 287ff.
–, experimental technique 289
–, –, determination of liquid composition 290
–, melting relations 291
–, melt compositions, calculated equilibrium 298
merrihueite 127
metabasites, chemical variation 277ff.
metagabbro 5
metamorphic zones, Buchan 40
metamorphism, Bamble area 277f.
–, granulite facies 403f.
–, high-grade, cordierite-orthoamphibole assemblage 15f.
–, Leros 389ff.
–, –, biotite zone 393
–, –, chlorite zone 391
–, –, garnet zone 394
–, –, staurolite-kyanite zone 397
–, low-grade 365f.
–, pelites 39ff.
–, Sanbagawa belt 1ff.
–, siliceous dolomites 151ff.
metapelites, Calabria, radiometric dates 24f.
metasomatism, mantle 99
–, mass balance computations 131,137f.
microstructures, granite deformation 224f.
migmatites 217
milarite group 127
mineral assemblages, Hohe Tauern 54
Mn, partitioning between ilmenite and garnet 275
monazite 26
monzodiorite 71
monzogranite 212
monzonite 71
mugearite 181
muscovite 395, 423
mylonite 222

Natro-carbonatite 114
Nd isotope data, komatiites 263
nepheline 119ff.
– alkali feldspar intergrowths 120
– syenite 132
nephelinite 106
nephelinization 141

Oceanic basalts, alteration 341ff.
– crust, low-grade alteration 323ff.
O isotope data, spilites 194
oligoclase 181, 238
olivine 1, 5, 123, 174, 181, 201, 205, 243, 258, 288, 294, 312, 349, 377
– gabbro 243
– poor lherzolite 3
– spinel geothermometer 201, 205
ophiolites 1, 305
ore deposits, Japan 149
orogenic belts 39
orthoclase 71, 238
orthopyroxene 3, 16, 71, 249, 288, 299 312, 377
– cummingtonite-quartz assemblage 413ff.
osumilite 127
oxidation, basalt-seawater interaction 196

Partial melting 18
–, basalt petrogenesis 287f.
–, –, oceanic crust-ophiolite model 305
pegmatite 132f.
pelitic schists 267f.
pE-pH diagrams, biotite stability 422f.
peridotites 1f., 254f.
–, anhydrous melting 289ff.
phase relations, metacarbonates 55ff.
phengite 42
phillipsite 354
phlogopite 71, 123
phonolite 106
phyllosilicates, low-grade oceanic crust alteration 323ff.
picrite xenoliths 173f.
–, origin 175
pigeonite tholeiite 97
pillow lavas 256, 346f.
plagioclase 1, 5, 41, 71, 174, 181, 243, 312, 377, 397
–, spinel inclusions 243f.
plutonic rocks, Unalaska, fractional crystallization 69ff.
poikilitic gabbro 254f.
prehnite 365
– pumpellyite facies 365f.
propylitization 145
pseudo-leucites 119f.
pumpellyite 365
pyribolite 24
pyriclasite 26
pyrite 145, 197
pyrolite 289f.
–, melting 293f.
–, –, equilibrium melt compositions 300
pyroxenes 5, 312

Quartz 6, 16, 41, 71, 146, 267, 365, 413f., 423
–, deformation microstructures 224
– diorite 71

Rapakivi 161
– charnockite association 170
rare earth element data, charnockites 164f.
–, gneisses, Scourie 406f.
–, plutonic rocks, Unalaska 75
Rb-Sr isotopic analyses, granulite geochronology 28f.
reactions, biotite producing 43
–, metacarbonates 55f.
–, redox ~ 421f.
redox reactions 421f.
retrograde metamorphism 389f.
rhyolite 180, 217
rodingite 193
roedderite, terrestrial occurrence 127f.
–, physical properties 128
rutile 270

Sanidine 423
saponite 344, 351
–, basalt alteration 323ff.
–, compositions 329
seawater-basalt interaction 191f.
–, chemical changes 196
serpentine 6
shear zone, granite deformation 222f.
silica activity, Bushveld rocks 317
–, calculation 311
–, function of pressure 318
sillimanite 41
S isotope ratios, Pyrite Belt sulphides 197
smectite 359
solid solution, dolomite-calcite 153
sphene 270
spilites 146
–, seawater-basalt interaction 191f.
spilitisation 193
spinel 4, 174, 201, 205, 243, 260, 288, 297
– clinopyroxenite 1f.
– metagabbro 1f.
– websterite 1f.
– wehrlite 3
spinifex texture 257, 307
Sr data, charnockites 164
–, komatiites 263
–, tholeiites, Antarctica 91f.
staurolite 40, 397
– zone 42
subalkaline series granites 215
subduction, leucite-bearing rocks 429, 432
submarine volcanism 193
sulphides 197
symplectite 4

Talc 151, 353
teschenite 180

tholeiites 173f., 181f.
–, Antarctica 90f.
–, –, Sr isotope data 91f.
tholeiitic basalt genesis, effect of volatiles 305
– series granites 216
Ti, plutonic rocks 74
Ti-minerals, metamorphic stability 267ff.
–, mode of occurrence 269
titanomagnetite 181
tonalite 24, 217
trace elements, andesites 378f.
–, komatiites 264
–, metabasites 280f.
–, plutonic rocks 72f.
–, Scourian gneisses 406f.
trachyandesite 217
trachybasalt 181
trachyte 181
tremolite 6, 151
troctolite 175, 256
tuff breccia 146, 256
two-liquid equilibrium, carbonate-silicate melts 109f.

Ultramafic rocks 253f.
– xenoliths 1f., 173f.
U-Pb isotopic analyses, granulite geochronology 28f.
upper mantle, oceanic, composition 288

Wairakite 365
–, stability 368f.
websterite 1f.
wehrlite 3, 256

Xenoliths, ultramafic 1f., 173f.

Y, plutonic rocks 74
yagiite 127

Zeolite 145
– facies 365f.
zircon morphology, petrogenetic granite classification 207ff.
–, types and corresponding geothermometric scale 208
zoisite 6, 365
zonal sequences, Buchan metamorphites 40f.
zoning, plagioclase 244
Zr contents, plutonic rocks 74
– data, charnockites 164

List of Locations

Aberchirder, Buchan 40
Adirondack Mts., New York 243
Aiguilles Rouges Massif, Swiss Alps 222
Alëutian Islds. 70
All Ferrar Group, Antarctica 93
Amaknak, Alëutian Isl. 70
Antarctica 90
Anti-Atlas, Morocco 382
Arendal-Tvedestrand area, Norway 278
Asemi River, Sanbagawa 268

Bamble area, Norway 278
Banffshire, Scotland 40
Batbjerg Intrusion, Greenland 119
Bellerberg, Eifel 127
Bethal area, Bushveld 312
Boyndie Syncline, Buchan 40
Brenner Pass, Alps 54
Buchan area, Scotland 40
Bushveld, South Africa 312

Calabria, Italy 24
Captains Bay Pluton, Unalaska 70

Deccan, India 179
Dronning Maud Land, Antarctica 90
Dufek Plateau, Antarctica 90

Farsund, Rogaland 161
Felber Tauern, Alps 54
Fraserburgh, Buchan 40
Fyvie, Buchan 40

Garrochal, Iberian Pyrite Belt 195
Gorgona Islds., Columbia 254

Head of Garness, Banffshire 40
Hell's Half Acre, Snake River 173
Hoggar, North Africa 382
Hohe Tauern, Austria 53

Iberian Pyrite Belt 191
Iratsu, Shikoku 2
Ivrea Zone, Alps 24
Iwami, Japan 145
Izu Peninsula, Japan 145

Kangerdlugssuaq, Greenland 119
Kirwan Escarpment, Antarctica 90
Kleivan, Rogaland 162
Kongsberg, Norway 278

Leros, Greece 390

Methlick, Buchan 40
Miéville, Swiss Alps 222
Mt. Higashi-akaishi, Shikoku 2

Needle Pt. Amaknak Isl. 70
Nikubuchi, Japan 2
Nilsen Plateau, Antarctica 90

Oldoinyo Lengai, Tanzania 105
Ouarzazati, Anti-Atlas 382

Pfitschtal, Hohe Tauern 54

Rajpipla area, India 179f.
Rogaland, South Norway 161
Rosehearty, Buchan 40

Sanbagawa Belt, Shikoku 2, 268
Scourie, Scotland 403
Seigoshi, Japan 145
Serrania del Baudo, Columbia 254
Serre, Calabria 24
Shikoku, Japan 2, 268
Snake River Plain, Idaho 173
Sørøy, Norway 132

Tharsis Mine, Huelva, Iberian Pyrite Belt 193
Tottori, Japan 145
Toyoha, Japan 145

Unalaska, Alëutian Islds. 90

Victoria Land, Antarctica 90

Whyntie Head, Banffshire 40

Yatani, Japan 145
Ythan Valley, Buchan 40
Yugawara, Japan 145